





CONPLASA

INYECCIÓN PLÁSTICA Y
SOLUCIONES EN METAL-MECÁNICA



CONPLASA

INYECCIÓN PLÁSTICA Y
SOLUCIONES EN METAL-MECÁNICA



**TECHNICAL
DATA SHEET**
INSERTION COUPLING



CONPLASA

INYECCIÓN PLÁSTICA Y
SOLUCIONES EN METAL-MECÁNICA

INTERNATIONAL TRADE INFORMATION

HS Code 6 Digits / Word Customs Organization /:
39.17.40

SECTION VII PLASTICS AND ARTICLES THEREOF.
RUBBER AND ARTICLES THEREOF

Chapter: 39- PLASTICS AND ARTICLES THEREOF


Heading: 39.17- Tubes, pipes and

hoses and fittings therefor

(for example, joints, elbows, flanges), of plastics:

Subheading: 39.17.40- Fittings

DESCRIPCIÓN	INSERTION COUPLING
MATERIAL	POLYPROPYLENE
COLOR	WHITE
MÉTODO DE FABRICACIÓN	INJECTION



INSERTION COUPLING


	CPB13 (1/2")	CPB19 (3/4")	CPB25 (1")
	in	in	in
L	5.0800	4.8698	4.8797
T	0.4400	0.5000	0.7500
R	0.5700	0.7500	1.0000
S	0.6500	0.8650	1.0750



**QUALITY
& DURABILITY**



**UNIVERSAL
COMPATIBILITY**



CONPLASA

INYECCIÓN PLÁSTICA Y
SOLUCIONES EN METAL-MECÁNICA

TECHNICAL DATA OF THE RAW MATERIAL	NOMINAL VALUE	TESTING METHOD
TENSILE STRENGTH	5450 psi	ASTMD638
ELONGATION STRENGTH	8.00%	ASTMD639
FLEXURAL MODULUS	225000 psi	ASTMD790
ROCKWELL HARDNESS	111	ASTMD785
IZOD IMPACT TEST STRENGTH	0,7 ft-lb/in	ASTMD256
CHARPY IMPACT TEST STRENGTH	1,1 ft-lb/in	ASTMD257
DENSITY	0,906 g/cm3	ASTMD1505



CODE	PIECES PER BOX	UNIT WEIGHT	WEIGHT PER BOX	BOXES PER PALLET	PALLET WEIGHT WITH PACKAGING
CPB13	1,500	0.0353	52.911	12	709.888
CPB19	1,400	0.0617	86.421	12	1112.010
CPB25	850	0.0838	71.209	12	929.468

Weight in pounds

MARKET ACCES FOR GOODS

World Average Tariff: 6.5 %. Free Trade Agreements: 0 % or free.

Mexico is a member of the World Trade Organization (WTO), the Asia-Pacific Economic Cooperation (APEC), the G-20, and the Organization for Economic Cooperation and Development (OECD). Mexico has 14 Free Trade Agreements (FTAs) with 50 countries—including USMCA and FTAs with the European Union, European Free Trade Area, Japan, Israel, 10 countries in Latin America, and the 11-country Comprehensive and Progressive Agreement for Trans-Pacific Partnership. Mexico is also a member of the Pacific Alliance, a trade bloc formed by Mexico, Chile, Colombia, and Peru.

Harmonized Tariff Schedule
of the United States Revision 10 (2023)

Article Description: Fittings / Other

Unit of Quantity: Kg

Rates of Duty USA

General: 5.3%

Special: USMCA (United States-Mexico-Canada Agreement) - Free

Rule of Origin USMCA: 39.16-39.26 A change to heading 39.16 through 39.26 from any other heading, including another heading within that group.



QUALITY
& DURABILITY



UNIVERSAL
COMPATIBILITY



CONPLASA

INYECCIÓN PLÁSTICA Y
SOLUCIONES EN METAL-MECÁNICA



**TECHNICAL
DATA SHEET**
INSERTION ELBOW



CONPLASA

INYECCIÓN PLÁSTICA Y
SOLUCIONES EN METAL-MECÁNICA

INTERNATIONAL TRADE INFORMATION

HS Code 6 Digits / Word Customs Organization :/
39.17.40

SECTION VII PLASTICS AND ARTICLES THEREOF.
RUBBER AND ARTICLES THEREOF


Chapter: 39- PLASTICS AND ARTICLES THEREOF

Heading: 39.17- Tubes, pipes and
hoses and fittings therefor

(for example, joints, elbows, flanges), of plastics:

Subheading: 39.17.40- Fittings

DESCRIPTION	INSERTION ELBOW
MATERIAL	POLYPROPYLENE
COLOR	WHITE
MANUFACTURING METHOD	INJECTION




INSERTION ELBOW			
	CDB13 (1/2")	CDB19 (3/4")	CDB25 (1")
	in	in	in
A	3.1000	3.1317	3.2301
B	0.4252	0.5725	0.7677
C	0.5750	0.7598	1.0189
D	0.6600	0.8976	1.1083



**QUALITY
& DURABILITY**



**UNIVERSAL
COMPATIBILITY**



CONPLASA

INYECCIÓN PLÁSTICA Y
SOLUCIONES EN METAL-MECÁNICA

TECHNICAL DATA OF THE RAW MATERIAL	NOMINAL VALUE	TESTING METHOD
TENSILE STRENGTH	5450 psi	ASTMD638
ELONGATION STRENGTH	8.00%	ASTMD639
FLEXURAL MODULUS	225000 psi	ASTMD790
ROCKWELL HARDNESS	111	ASTMD785
IZOD IMPACT TEST STRENGTH	0,7 ft-lb/in	ASTMD256
CHARPY IMPACT TEST STRENGTH	1,1 ft-lb/in	ASTMD257
DENSITY	0,906 g/cm3	ASTMD1505



CODE	PIECES PER BOX	UNIT WEIGHT	WEIGHT PER BOX	BOXES PER PALLET	PALLET WEIGHT WITH PACKAGING
CDB13	1,500	0.0485	72.752	12	947.987
CDB19	1,100	0.0617	67.902	12	889.785
CDB25	750	0.0794	59.525	12	789.254

Weight in pounds

MARKET ACCES FOR GOODS

World Average Tariff: 6.5 %. Free Trade Agreements: 0 % or free.

Mexico is a member of the World Trade Organization (WTO), the Asia-Pacific Economic Cooperation (APEC), the G-20, and the Organization for Economic Cooperation and Development (OECD). Mexico has 14 Free Trade Agreements (FTAs) with 50 countries—including USMCA and FTAs with the European Union, European Free Trade Area, Japan, Israel, 10 countries in Latin America, and the 11-country Comprehensive and Progressive Agreement for Trans-Pacific Partnership. Mexico is also a member of the Pacific Alliance, a trade bloc formed by Mexico, Chile, Colombia, and Peru.

Harmonized Tariff Schedule
of the United States Revision 10 (2023)

Article Description: Fittings / Other

Unit of Quantity: Kg

Rates of Duty USA

General: 5.3%

Special: USMCA (United States-Mexico-Canada Agreement) - Free

Rule of Origin USMCA: 39.16-39.26 A change to heading 39.16 through 39.26 from any other heading, including another heading within that group



www.conplasa.com.mx 20 de Noviembre #1604 Col. Morelos C.P. 20140 Aguascalientes, México
+52 449 912 06 86 / +52 449 912 01 22 / +52 449 996 44 84 / 449 912 84 08
ventas@conplasa.com.mx ventas2@conplasa.com.mx



QUALITY
& DURABILITY




COMPATIBLE



CONPLASA

INYECCIÓN PLÁSTICA Y
SOLUCIONES EN METAL-MECÁNICA



**TECHNICAL
DATA SHEET**
FLANGED ADAPTER



CONPLASA

INYECCIÓN PLÁSTICA Y
SOLUCIONES EN METAL-MECÁNICA

INTERNATIONAL TRADE INFORMATION

HS Code 6 Digits / Word Customs Organization /:
39.17.40

SECTION VII PLASTICS AND ARTICLES THEREOF.
RUBBER AND ARTICLES THEREOF


Chapter: 39- PLASTICS AND ARTICLES THEREOF

Heading: 39.17- Tubes, pipes and
hoses and fittings therefor

(for example, joints, elbows, flanges), of plastics:

Subheading: 39.17.40- Fittings

DESCRIPTION	FLANGED ADAPTER
MATERIAL	POLYPROPYLENE
COLOR	WHITE
MANUFACTURING METHOD	INJECTION




FLANGED ADAPTER			
	ACB13 (1/2")	ACB19 (3/4")	ACB25 (1")
	in	in	in
A	0.500 THREAD NTP	0.750 THREAD NTP	1 THREAD NTP
B	2.7250	2.5300	3.0350
C	0.4500	0.6350	0.8750
F	0.6750	0.8800	1.1380



**QUALITY
& DURABILITY**



**UNIVERSAL
COMPATIBILITY**



CONPLASA

INYECCIÓN PLÁSTICA Y
SOLUCIONES EN METAL-MECÁNICA

TECHNICAL DATA OF THE RAW MATERIAL	NOMINAL VALUE	TESTING METHOD
TENSILE STRENGTH	5450 psi	ASTMD638
ELONGATION STRENGTH	8.00%	ASTMD639
FLEXURAL MODULUS	225000 psi	ASTMD790
ROCKWELL HARDNESS	111	ASTMD785
IZOD IMPACT TEST STRENGTH	0,7 ft-lb/in	ASTMD256
CHARPY IMPACT TEST STRENGTH	1,1 ft-lb/in	ASTMD257
DENSITY	0,906 g/cm3	ASTMD1505



CODE	PIECES PER BOX	UNIT WEIGHT	WEIGHT PER BOX	BOXES PER PALLET	PALLET WEIGHT WITH PACKAGING
ACB13	2,500	0.0265	66.139	12	868.620
ACB19	2,000	0.0265	52.911	12	709.888
ACB25	950	0.0661	62.832	12	828.937

Weight in pounds

MARKET ACCES FOR GOODS

World Average Tariff: 6.5 %. Free Trade Agreements: 0 % or free.

Mexico is a member of the World Trade Organization (WTO), the Asia-Pacific Economic Cooperation (APEC), the G-20, and the Organization for Economic Cooperation and Development (OECD). Mexico has 14 Free Trade Agreements (FTAs) with 50 countries—including USMCA and FTAs with the European Union, European Free Trade Area, Japan, Israel, 10 countries in Latin America, and the 11-country Comprehensive and Progressive Agreement for Trans-Pacific Partnership. Mexico is also a member of the Pacific Alliance, a trade bloc formed by Mexico, Chile, Colombia, and Peru.

Harmonized Tariff Schedule
of the United States Revision 10 (2023)

Article Description: Fittings / Other

Unit of Quantity: Kg

Rates of Duty USA

General: 5.3%

Special: USMCA (United States-Mexico-Canada Agreement) - Free

Rule of Origin USMCA: 39.16-39.26 A change to heading 39.16 through 39.26 from any other heading, including another heading within that group.



QUALITY
& DURABILITY




COMPATIBLE



CONPLASA

INYECCIÓN PLÁSTICA Y
SOLUCIONES EN METAL-MECÁNICA



**TECHNICAL
DATA SHEET
INSERTION TEE**



CONPLASA

INYECCIÓN PLÁSTICA Y
SOLUCIONES EN METAL-MECÁNICA

INTERNATIONAL TRADE INFORMATION

HS Code 6 Digits / Word Customs Organization /:
39.17.40


SECTION VII PLASTICS AND ARTICLES THEREOF.
RUBBER AND ARTICLES THEREOF

Chapter: 39- PLASTICS AND ARTICLES THEREOF

Heading: 39.17- Tubes, pipes and
hoses and fittings therefor

(for example, joints, elbows, flanges), of plastics:

Subheading: 39.17.40- Fittings




INSERTION TEE			
	TB13 (½")	TB19 (¾")	TB25 (1")
	in	in	in
A	3.0075	3.0638	3.1275
B	5.1650	5.1625	5.0800
E	0.4150	0.5700	0.7750
G	0.6600	0.8650	1.1100



**QUALITY
& DURABILITY**



**UNIVERSAL
COMPATIBILITY**



CONPLASA

INYECCIÓN PLÁSTICA Y SOLUCIONES EN METAL-MECÁNICA

DESCRIPTION	INSERTION TEE
MATERIAL	POLYPROPYLENE
COLOR	WHITE
MANUFACTURING METHOD	INJECTION

TECHNICAL DATA OF THE RAW MATERIAL	NOMINAL VALUE	TESTING METHOD
TENSILE STRENGTH	5450 psi	ASTMD638
ELONGATION STRENGTH	8.00%	ASTMD639
FLEXURAL MODULUS	225000 psi	ASTMD790
ROCKWELL HARDNESS	111	ASTMD785
IZOD IMPACT TEST STRENGTH	0,7 ft-lb/in	ASTMD256
CHARPY IMPACT TEST STRENGTH	1,1 ft-lb/in	ASTMD257
DENSITY	0,906 g/cm3	ASTMD1505



CODE	PIECES PER BOX	UNIT WEIGHT	WEIGHT PER BOX	BOXES PER PALLET	PALLET WEIGHT WITH PACKAGING
TB13	1,000	0.0661	66.139	12	868.620
TB19	750	0.0750	56.218	12	749.571
TB25	500	0.1190	59.525	12	789.254

Weight in pounds

MARKET ACCES FOR GOODS

World Average Tariff: 6.5 %. Free Trade Agreements: 0 % or free.

Mexico is a member of the World Trade Organization (WTO), the Asia-Pacific Economic Cooperation (APEC), the G-20, and the Organization for Economic Cooperation and Development (OECD). Mexico has 14 Free Trade Agreements (FTAs) with 50 countries—including USMCA and FTAs with the European Union, European Free Trade Area, Japan, Israel, 10 countries in Latin America, and the 11-country Comprehensive and Progressive Agreement for Trans-Pacific Partnership. Mexico is also a member of the Pacific Alliance, a trade bloc formed by Mexico, Chile, Colombia, and Peru.

Harmonized Tariff Schedule
of the United States Revision 10 (2023)

Article Description: Fittings / Other

Unit of Quantity: Kg

Rates of Duty USA

General: 5.3%

Special: USMCA (United States-Mexico-Canada Agreement) - Free

Rule of Origin USMCA: 39.16-39.26 A change to heading 39.16 through 39.26 from any other heading, including another heading within that group.



www.conplasa.com.mx 20 de Noviembre #1604 Col. Morelos C.P. 20140 Aguascalientes, México
+52 449 912 06 86 / +52 449 912 01 22 / +52 449 996 44 84 / 449 912 84 08
ventas@conplasa.com.mx ventas2@conplasa.com.mx



QUALITY
& DURABILITY



COMPATIBLE



CONPLASA

INYECCIÓN PLÁSTICA Y
SOLUCIONES EN METAL-MECÁNICA



**TECHNICAL
DATA SHEET
MALE ADAPTER**



CONPLASA


INYECCIÓN PLÁSTICA Y
SOLUCIONES EN METAL-MECÁNICA

INTERNATIONAL TRADE INFORMATION

HS Code 6 Digits / Word Customs Organization /:
39.17.40

SECTION VII PLASTICS AND ARTICLES THEREOF.
RUBBER AND ARTICLES THEREOF
Chapter: 39- PLASTICS AND ARTICLES THEREOF
Heading: 39.17- Tubes, pipes and
hoses and fittings therefor
(for example, joints, elbows, flanges), of plastics:
Subheading: 39.17.40- Fittings

DESCRIPTION	MALE ADAPTER
MATERIAL	POLYPROPYLENE
COLOR	WHITE
MANUFACTURING METHOD	INJECTION



MALE ADAPTER			
	AMB13 (1/2")	AMB19 (3/4")	AMB25 (1")
	in	in	in
A	0.500 THREAD NTP	0.750 THREAD NTP	1 THREAD NTP
B	2.8430	3.0100	2.8750
C	0.5500	0.9400	0.9460
D	0.8000	0.8500	0.8000
G	0.6500	0.8750	1.1135



**QUALITY
& DURABILITY**



**UNIVERSAL
COMPATIBILITY**



CONPLASA

INYECCIÓN PLÁSTICA Y SOLUCIONES EN METAL-MECÁNICA

TECHNICAL DATA OF THE RAW MATERIAL	NOMINAL VALUE	TESTING METHOD
TENSILE STRENGTH	5450 psi	ASTMD638
ELONGATION STRENGTH	8.00%	ASTMD639
FLEXURAL MODULUS	225000 psi	ASTMD790
ROCKWELL HARDNESS	111	ASTMD785
IZOD IMPACT TEST STRENGTH	0,7 ft-lb/in	ASTMD256
CHARPY IMPACT TEST STRENGTH	1,1 ft-lb/in	ASTMD257
DENSITY	0,906 g/cm3	ASTMD1505



CODE	PIECES PER BOX	UNIT WEIGHT	WEIGHT PER BOX	BOXES PER PALLET	PALLET WEIGHT WITH PACKAGING
AMB13	3,000	0.0176	52.911	12	709.888
AMB19	2,000	0.0353	70.548	12	921.531
AMB25	1,300	0.0441	57.320	12	762.799

Weight in pounds

MARKET ACCES FOR GOODS

World Average Tariff: 6.5 %. Free Trade Agreements: 0 % or free.

Mexico is a member of the World Trade Organization (WTO), the Asia-Pacific Economic Cooperation (APEC), the G-20, and the Organization for Economic Cooperation and Development (OECD). Mexico has 14 Free Trade Agreements (FTAs) with 50 countries—including USMCA and FTAs with the European Union, European Free Trade Area, Japan, Israel, 10 countries in Latin America, and the 11-country Comprehensive and Progressive Agreement for Trans-Pacific Partnership. Mexico is also a member of the Pacific Alliance, a trade bloc formed by Mexico, Chile, Colombia, and Peru.

Harmonized Tariff Schedule
of the United States Revision 10 (2023)

Article Description: Fittings / Other

Unit of Quantity: Kg

Rates of Duty USA

General: 5.3%

Special: USMCA (United States-Mexico-Canada Agreement) - Free

Rule of Origin USMCA: 39.16-39.26 A change to heading 39.16 through 39.26 from any other heading, including another heading within that group.

