



INTERSERV LOGISTICS LTDA.



S








Enterprise profile.



INTERSERV Ltda is a Brazilian international logistics and commercialization company with 8 years of creation, oriented to the business management, and focused in the commercialization of food products, metals, minerals, petroleum and its derivatives.

Main annual contracts by sector to Europe, China, India, Africa and the United States.





Main sectors.

S

Oil & Gas

1

- ✓ Crude Oil.
- ✓ Gasoline.
- ✓ Diesel Oil.
- ✓ LPG/LNG
- ✓ Naphtha
- ✓ Lubricants
- ✓ Jet Fuel

Foods

2

- ✓ Soy NON-GMO and GMO.
- ✓ Sugar.
- ✓ Beef, Pork and Chicken.
- ✓ Rice.
- ✓ Wheat.
- ✓ Corn.

Metal & Minerals


3

- ✓ Copper Millberry.
- ✓ Copper Cathodes.
- ✓ Aluminum.
- ✓ Gold Banked.
- ✓ Manganese.
- ✓ Niobium.
- ✓ Cassiterite.
- ✓ Iron Ore Fines
- ✓ Cutted Iron Ore Pellets

Oil&Gas

Foods

Metals



METALS & MINERALS





COPPER MILLBERRY


S



Origin: China.

Reference price: 2.0 usd / lb.

Quantity: Up to 4,000.0 ton / month, more to be confirmed according to LOI. Procedures: LOI, FCO, ICPO, SPA, buyer visit (if desired), inspection at origin.






Conditions

S

COMMODITY

COPPER WIRESCRAP (MILLBERRY)

QUANTITY AVAILABLE	✓ TRIAL: 500.0 MT. ✓ 1,000.0 MT/WEEK; 4,000.0 MT/MONTH
CURRENCY PAYMENT	USD
PAYMENT METHOD	20% ADVANCE (TT) AND 80% (TT/IRDLC) AGAINST SHIPMENT DOCUMENTS IN LOADING PORT.
ORIGIN	CHINA
PURITY	99.9% - 99.97%
INSPECTION	'SGS', CCIC OR ALEX SIEWART OR SIMILAR AT THE PLACE OF LOADING PORT







Specifications



COMMODITY	COPPER SCRAP WIRE MILLBERRY 99.9% MIN	
Item	STANDARD(%)	RESULTS (%)
Purity (Wt%)	≥ 99.9	99.97
CARBON	0.03	0.03
COBLET	<0.001	0.0009
IRON	0.005	0.005
PHOSPHORUS	<0.01	0.009
SULPHUR	<0.01	0.009
ZINC	0.003	0.003






Basic procedure



- A. Buyer send **LOI**.
- B. Seller send **FCO**.
- C. Buyer return **ICPO**.
- D. Seller send **SPA** to review and sign by the buyer.
- E. Seller send invitation letter to buyer for inspection.
- F. Buyer visit the seller for inspection visit, pay advance and issues **IRDLC**
- G. Seller delivery the **GOODS**.



Oil&Gas

Foods

Metals




COPPER CATHODES


S



Origin: India, China

Quantity: Up to 20 thousand tons / month minimum 5 thousand tons / month.






Conditions

S

COMMODITY	COPPER CATHODES (ELECTROLYTIC, GRADE "A")
QUANTITY	50 MT MT TRIAL
CONTRACT PERIOD	12 MONTHS; Extended to 5 years
PRICE	CIF LME: -12% / - 14% Discount
CURRENCY PAYMENT	AMERICAN DOLLAR OF UNITED STATES
PAYMENT METHOD	<p>*BUYER WILL MAKE 50% PAYMENT BY T/T SWIFT MT103 AGAINST CHANGE OF OWNERSHIP AND SET LIST DOCUMENTS OF ORIGIN PORT.</p> <p>*FINAL 50% REMAINING BY T/T SWIFT MT103 WITHIN THREE (3) WORKING DAYS AFTER ARRIVAL OF GOODS AT PORT OF DISCHARGE AND RELEASE OF INSPECTION REPORT BY ALEX STEWART INTERNATIONAL, SGS OR SIMILAR COMPANY.</p>
ORIGIN	INDIA,CHINA
DIMENSIONS & WEIGHT	<ul style="list-style-type: none">✓ SIZE: 914MM X 914MM X 12MM✓ WEIGHT OF EACH SHEET: 125KGS +/- 1%✓ NET WEIGHT OF EACH PALLET: 2M/T +/- 1%✓ MIN. WEIGHT IN EACH CONTAINER: 20 M/T APPROX. GROSS WEIGHT OF EACH CONTAINER: 20.50 M/T APPROX







Specifications



COMMODITY	COPPER CATHODES (ELECTROLYTIC, GRADE "A")
SPECIFICATION	<ul style="list-style-type: none">✓ ELECTRO COPPER CATHODES LME STANDARD✓ TYPE/GRADE = PLATES "A" , PURITY 99.99%✓ ANALYZED AS PER REPORT OF ANALYSIS MADE BY THE SELLER FOR EACH RESPECTIVE PARTIAL SHIPMENT AND APPROVED BY BUYERS. NOT OXIDIZED FRESH PRODUCTION.✓ PACKING IN IRON BOUND BALES STUFFED FREELY INTO 20 TONS FCL (FULL CONTAINER LOAD)
CHEMICAL	COPPER, AS CU: 99.99%
COMPOSITION	<ul style="list-style-type: none">✓ SILICA, AS SI: 0.009%✓ COBALT, AS CO: 0.005%✓ LEAD, AS: PB 0.005%✓ IRON, AS FE: 0.001%✓ MANGANESE, AS: LESS THAN 0.005%✓ ANTIMONY, AS SB: 0.005%✓ ARSENIC, AS AS: LESS THAN 0.005%✓ BISMUTH, AS BI: 0.001%✓ SILVER, AS AG: 0.003%✓ TELURIUM, AS TE: LESS THAN 0.005%✓ ALLUMINUM, AS AL: 5 PPM✓ SELENIUM, AS SE: 0.005%✓ SULPHUR, AS S: 0.005%✓ MANGNESIUM, AS MG: 0.005%✓ OXYGEN, AS O2: 0.0044%✓ NICKEL AS NI: 0.005%







Basic procedure



- A. Buyer send **LOI**.
- B. Seller send **FCO**.
- C. Buyer return **FCO** signed and **ICPO** sealed to seller.
- D. Seller sends **SPA**, buyer returns signed and sealed.
- E. Seller will prepare all export documents, start load to a bonded warehouse at the port.
- F. Buyer will make 50% payment by T/T MT103 against change of ownership and set list documents of origin port.
- G. Final 50% remaining by T/T swift MT103 within three (3) working days after arrival of goods at port of discharge and release of inspection report by SGS or equivalent company.





Aluminium

S





Origin:

India, China

Quantity:

Up to 20 thousand ton / month. Minimum 5 thousand.
More against availability analysis.







Conditions

S

COMMODITY	ALUMINIUM INGOTS A7 99,7%. APPEARANCE-WHITE SILVER. Radioactivity free
Quantity	<ul style="list-style-type: none">✓ 2 trial supply for quantities between 500 and 1,000 Tons✓ Minimum 5,000 tons per Month✓ Maximum 20,000 tons per Month✓ ANNUAL TOTAL AMOUNT : 240,000 Tons
Packaging	Ingots of approximately 25 kg, packed in wooden boxes with a net weight of 1,000 kilograms.
Price	LME: - 7 / - 9% DISCOUNT CIF TERMS
Origin	INDIA, CHINA
Inspection	SGS
Payment Terms	100% LC Irrevocable Transferable, at sight payable against BL and SGS of quantity and quality open by world top bank






Procedure



- A. Buyer send **LOI**.
- B. Seller send **FCO**.
- C. Buyer send **ICPO** with POF (Bank endorsed ICPO, Bank to Bank or BCL).
- D. Seller send **SPA**.
- E. SIGNED CONTRACT.
- F. SBLC is issued.
- G. Allocation Letter can be issued.
- H. First shipment to begin loading





GOLD (AU) BANKED







Conditions



COMMODITY	GOLD (AU) BULLION BARS (REGISTERED IN THE GOLD BANKING SYSTEM).
SIZE	1 KG BARS.
ORIGIN	SOUTH AFRICA
HALLMARK	✓ INTENATIONAL RECOGNISED HALLMARK (JOHNSON MATTHEY (USA)). ✓ AGE: LESS THAN 5 YEARS.
FINENESS / PURITY	999.9 / 1000
CURRENT LOCATION	HONG KONG. STOCK HELD IN A PRIME CUSTODIAN BANKS (ADDRESS SHALL BE DETAILED IN THE SAFE-KEEPING-RECEIPT, SKR)
QUANTITY	100 KG – 2,000 KG (MONTHLY), WITH ROLLS & EXTENSIONS.
DELIVERY	USD/EURO DEPOSIT WITH THE GOLD CUSTODY BANK NOMINATED / APPOINTED COMPANY THAT HOLDS AN ACCOUNT WITH THE BANK HOLDING BUYER'S GOLD BULLION FOR SALE, CASH RECEIVING BANK ACCOUNT ORDERED BY GOLD CUSTODY BANK AND ACCEPTED BY THE SELLER AND BUYER, AS AGREED AND APPOINTED TO ACT AS AN ESCROW AGENT. BRINK/BRINK.
PAYMENT	100% BALANCE CASH VALUE OF (XX) KG GOLD BULLION BASED ON (X)% GROSS AND (X)% NET VIA SWIFT MT103/TT IN USD OR EUROS TO THE BANK APPOINTED COMPANY WITH THE OFFICIAL WRITTEN INSTRUCTIONS BY BUYER TO APPOINTED ESCROW COMPANY RELEASE THE DEPOSITED FUNDS TO SELLER UPON BUYER'S RECEIPT SATISFACTION OF DELIVERY OF QUANTITY AND QUALITY OF THE GOLD BULLION LESS ALL COMMISSION AND ESCROW COMPANY FEES.





MINERALES

S

Cuttet Iron Ore Pellets



Niobium



Iron Ore Fines

Manganese



Cassiterite

- ❑ **Cuttet Iron Ore Pellets:** TEOR: 67.5%
- ❑ **Iron Ore Fines:** TEOR 58% / 65%
- ❑ **Cassiterite (tin oxide):** TEOR 72% / 73%
- ❑ **Niobium:** TEOR 50% / 58%
- ❑ **Manganese:** TEOR 46% / 51%

Origin: Brazil

Quantity: Minimum 50/100 thousand MT / month.



Oil&Gas


Foods

Metals



FOODS





SOJA NON-GMO Y GMO


S



Soja NON-GMO and GMO. Not modified and genetically modified.

Origin: BRAZIL.

Quantity: Up to 500 thousand tons / month, minimum 100 thousand tons / month.






Specifications

S

Product features and specifications:

Product type:	Soybean GMO
Origin of:	Brazil
Year:	2020
Amount:	2,400,000.00 Tons
Packing:	Bulk Carrier
Oil Content Basis:	18.50%
Moisture:	14.00% max
Admixture:	1.00% max
Foreign Matter Basis:	1.00% max
Purity:	99.00% Min
Demaged Beans Basis:	8.00% max
Broken Beans:	30.00% max
Greenish Beans:	8.00% max
Protein Content:	35% min
Crop:	Fresh Crop





Specifications



Product features and specifications:


Product type:	Soybean NON GMO Grade 2
Origin of:	Brazil
Year:	2020
Amount:	480,000.00 Tons
Packing:	Bulk Carrier
Oil Content Basis:	20.50%
Moisture:	12.00% max
Admixture:	1.00% max
Foreign Matter Basis:	2.00% max
Purity:	99.00% Min
Damaged Beans Basis:	3.00% max
Broken Beans:	15.00% max
Greenish Beans:	8.00%
Protein Content:	39% min
Crop:	Fresh Crop



Oil&Gas

Foods

Metals



Sugar



Origin:

Brazil

Quantity:


Up to 800 thousand ton/month , minimum 100 thousand ton/moth. All types and formats



Oil&Gas

Foods

Metals



Beef, Pork and Chicken.



Beef, Pork and Chicken , All formats.

Origin: Brazil


Quantity: Minimum 4 containers / month.



Oil&Gas


Foods

Metals



OIL & GAS





Oil and Gas

S

- ✓ Crude Oil.
- ✓ Gasoline.
- ✓ Diesel Oil.
- ✓ LPG/LNG.
- ✓ Naphtha
- ✓ Lubricants
- ✓ Jet Fuel



Oil&Gas

Foods

Metals



Partner of Channelton Logistics Development (CLD)



CLD

Channelton Logistics Development Co.Ltd.(CLD), established in 2003, is a Shenzhen based company. By 2019, it has 18 wholly-owned subsidiaries in Beijing, Tianjin, Qingdao, Suzhou, Shanghai, Ningbo, Xiamen, Ganzhou, Dongguan, Guangzhou, Hongkong, Africa, providing door-to-door supply chain services for customers.

CLD has set up a self-owned operation team which provides freight forwarding, customs clearance, transportation, warehousing and distribution services in the ports of each subsidiary. And CLD has also built a software-development team with deep integration of practical operations at the Shenzhen headquarter, and established a special logistics and trade policy research institution in Beijing. All these have made it possible that CLD could ensure effective control of risks, timeliness and costs during the operation process and provide predictable and traceable logistics value-added services for customers all over the world.

Thank you !!

S



contato@interservlog.com

