



paints

FACADES

acrilais
pinsil d
teais homocolor
revetais
teais siloxano

INDOORS

humotais
pintis lisa
depis antimoho
antimohais

SWIMMING POOLS

pistais

PROTECTION

brepois
pintox
poliuretano 80/20
teais homiprotect
pincals

IMITATION

imade
rocais artistico

THERMAL INSULATION

teais termopin

FOOD INDUSTRY

epox aqua
epoais d

Learn more about our full range of products
www.teais.es

high strength and durability waterproofing paint for outdoors

acrilais

***Acrlais** is a waterproofing paint based on an aqueous dispersion of vinyl copolymers, made for indoors and outdoors surfaces decoration and protection.*

In facades, inner courtyards, party walls, balconies, large fortified towers, domes, etc.

Onto fibrocement boards, cement mortar renders, gypsum, plaster, etc by priming previously.



*Packaging: 5 kg, 25 kg
Consumption: 3 sqm/kg*

facades

silicate based paint

pinsil d

***Pinsil d** is a paint based on silicate binders with inorganic pigments and inorganic fillers, very resistant to light.*

The product is used in facades, adjoining walls, balconies, gables, cupolas, baseboards, etc. On new or old plaster, as well as lime cement, concretes, natural or artificial stone, fibro-cement, etc.

The supports must have the pore open before applying the paint. Ideal for restoration because it does not form a barrier, allows breathing, has an excellent lifespan, has a biocidal effect by its high PH. It does not form blisters due to moisture.



*Packaging: 25 kg
Consumption: 3 sqm/l*

facades

teais homocolor

special resin to homogenize and protect one-coat render mortars



Teais Homocolor is a resin with high adherence and excellent resistance to weather that improves and enhance the covering colours based on monolayer mortars.

Equalizes, homogenizes and intensifies color.

The product in addition to protect the facing from abrasion, wear, improving useful life and quality.



*Packaging: 5 kg, 25 kg
Consumption: 3 sqm/kg*

revetais

outdoor waterproofing plastic paint



Revetais is a plastic paint based on highly resistant inorganic pigmented copolymers, aqueous emulsion light stability, designed to decorate and protect the exterior surfaces.

The product is an ideal paint for facades both for repainting and for new, interior courtyards, adjoining walls, balconies, cupolas, etc.




*Packaging: 1 kg, 5 kg, 25 kg
Consumption: 3 sqm/kg*

waterproof siloxane-based paint and copolymers dispersion

teais siloxano

Teais siloxano is a waterproof and water repellent paint for coatings, formulated based on acrylic dispersion copolymers and siloxanes.

The product is used for facade cladding and exterior cladding, interior courtyards, lime mortar facades, cement paint support, vertical surfaces and those requiring an upper water strength and vapor permeability than conventional paints.



facades



Packaging: 5 kg, 25 kg

Consumption: 4 à 5 sqm/l in two layers

synthetic paint for exposed areas to smoke and grease

humotais

Humotais is a paint based on thixotropic synthetic resins, which forms a synthetic enamel, made for painting slightly contaminated surfaces by fumes and greases without pre-cleaning.

It is used in ceilings and kitchen walls, bathrooms, boiler rooms, central heating rooms, poorly ventilated and smoke-laden atmosphere locals, stains and vapours in bars, restaurants, bakery ovens, etc.



indoors



Packaging: 0,75 l, 4 l, 20 l

Consumption: 8 sqm/l onto porous support

pintis lisa

washable plastic paint for indoors - outdoors



Pintis lisa is a paint based on resins and selected inorganic pigments, high light stability, made for decoration and protection of interior and exterior protected surfaces.

It is applied on ceilings and walls. On plasters and cement-based plastes, gypsum, asbestos cement, etc.



*Packaging: 5 kg, 25 kg
Consumption: 3 sqm/kg*

depis antimoho

indoor and outdoor plastic paint



Depis antimoho consists of a plastic paint based on vinyl copolymers, inorganic pigments. It is soluble in water and is formulated to decorate and protect supports in interiors exposed to mould and humidity.

It is used on walls and ceilings in interiors. Onto renders or cement based mortars, plaster, gypsum, perlite plaster, fibrocement, concrete slips, etc.




*Packaging: 1 kg, 5 kg, 25 kg
Consumption: 3 sqm/kg*

indoor paint with conservators for mold control

antimohais

Antimohais is a paint specially designed for interior decoration by its composition which delays the process of mold formation.

The product is used as a preventive treatment in rooms with a high degree of humidity, such as in kitchens, restaurants, cafeterias, bathrooms, toilets, cloakrooms, gymnasiums, discotheques, garages, etc.



Packaging: 1Kg, 5 kg, 25 kg

Consumption: 3 sqm/kg

indoors

special paint for swimming pools

pistais

Pistais is a paint based on caoutchouc chloride, improved with high fastness pigments, resistant to moisture, alkalis and acids. Suitable for its application on pools.

On pools, water-tanks and tanks of both fresh and salt water. On cement-based mortar or similar. Finish on metallic surfaces and concrete affected by aggressive environments (proximity of the sea, industrial area).



Packaging: 0,75 l, 4 l, 20 l

Consumption: 2 to 3 sqm/l

swimming pools

brepois**two- component epoxy tar**

Brepois is a two-component epoxy tar that once is blended in proportion of 10 A / 1B on weight allows apply the product in thick coat avoiding dripping (150 microns per coat of wet film).

Ideal to cover and protect surfaces made of iron, steel or concrete against the moisture both weathering and buried.



*Packaging: 5 kg, 22 kg
Consumption: 5 sqm/kg in 100 microns thickness*

pintox**anti-rust enamel protector**

Pintox is an enamel based on resins with special additives which provides to it anticorrosive properties.

It is used to paint on metallic surfaces, iron or steel (ferrous metals) where a primer is not required and repainting on rusted metallic surfaces removing just rust loose particles.

The product has excellent adhesion to almost all types of surfaces, can also be applied to non-ferrous metals without needing a primer.



*Packaging: 0,75 l, 4 l
Consumption: 0,75 to 4 sqm/l*

polyurethane based paint for indoors and outdoors

poliuretano 80/20

Poliuretano 80/20 is a paint based on polyacrylates and aliphatic isocyanates. With this combination finishes are obtained that are distinguished by their excellent gloss retention, light stability and chalking. Two component system.

The product is ideal for vertical cementitious surface cladding. Metallic structure in general. Interior or exterior floors.



protection

*Packaging: 4 kg, 20 kg
Consumption: 5 sqm/kg*



special resin-based paint for anti-carbonation protection of concrete

teais hormiprotec

Teais Hormiprotec is a paint based on acrylic and special resin that fully protects the concrete against the carbonation, at the same time it constitute a decorative and durable coating.

It is used in new construction in which it is needed to give protection to anticarbonation concrete structure, in works where it has been made corrosion repair structures, etc.



protection

*Packaging: 5 kg, 20 kg
Consumption: 2 to 3 sqm/l*



pincals**lime-based paint**

Pincals is a silicated-lime based paint based on greasy lime, micronized calcium carbonate and special additives. Very suitable both apply in building heritage or facilities where is wanted disinfection or deworming.

It is a mineral paint whose high PH makes itself very suitable to paint facilities such as farms, stables, dog-kennels, wineries, garages, basements, storage rooms, henhouses, industrial warehouses, closing wall. In these cases by its disinfectant and deworming effect. Also is very suitable to paint the tree trunks in its bottom part thus avoids the climbing of ants and other insects.



Packaging: 20 kg
Consumption: 0,4 kg/sqm

imade**wood effect paint**

Imade is a paint based on synthetic resins that apply on mineral substrates such as concrete and mortars, provides a look similar to wood.

Its main applications are decoration both indoors and outdoors.



Packaging: 0,75 kg, 5kg
Consumption: 5 sqm/kg

synthetic cladding imitation granite stone

**rocais
artístico**

Rocais artístico is a coating that imitates granite stone, specially developed for the decoration of surfaces, both inside and outside.

It is ideal for moldings, sculptures, outlines of doors and windows, facades, plaster cracks, etc.

The product consists of two phases, a color base and a layer formed by a gel with the particles in suspension.



Packaging: 0,9 kg, 4 kg, 18 kg

Consumption: Phase A; 4 sqm/kg; Phase B; 1 sqm/kg

imitation

thermal insulating paint

**teais
termopín**

Teais Termopín is a special paint specially formulated based on special resins and insulating micro-bubbles.

It is used for indoors and outdoors on mortar, concrete, plaster surfaces, etc. When are wanted to obtain thermal insulating properties, condensation decreasing, decrease thermal conductivity, energy saving, resistance to weather and to improve acoustic absorption.



Packaging: 4 kg, 18 kg

Consumption: 2 to 3 sqm/kg

thermal insulation

epox aqua

epoxy paint coating



Epox aqua is a coating paint with soft odour based on epoxy resin and water as diluent that allows its application on surfaces in contact with liquids keeping their properties and taste.

For painting water tanks for domestic use. In school centres, clinics, slaughterhouses, food industry in general, etc.


Can not apply to bad weather.



*Packaging: 1,5 kg, 9 kg
Consumption: 6 to 8 sqm/l*

epoais d

epoxy sanitary paint



Epoais d is a two component epoxy paint based on epoxy resins and innocuous pigments. Fullfills the norm UNE-53550 global migration of waste in the medium (<10 mg/dm²) being suitable for contact with food.

It is used to slaughterhouses, butchers, fish markets, dairy and food industries in general, etc.

Not suitable for outdoor applications.



*Packaging: 4 kg, 7 kg, 24 kg
Consumption: 7 sqm per kg layer of 50 microns.*